



CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
Paryavas Bhawan, North Block, Sector- 19,
Naya Raipur (C.G.)
Email – hocecb@gmail.com

Date: 28/12/2017

**Pre Bid Response and Corrigendum Document – Tender No. 03/2017-2018/
Chhattisgarh Environment Conservation Board, Naya Raipur (CECB)/2017**

Project Name: Selection of Common Biomedical Waste Treatment Facility Service Provider (CBWTF-SP) for Bastar and Sarguja Divisions of Chhattisgarh for Collection, Transportation, Treatment & Disposal of Bio-Medical Waste.

Item	Description
Corrigendum Reference Number	03/2017-2018/ Chhattisgarh Environment Conservation Board Naya Raipur (CECB)/2017 /Corrig1
Tender Reference Number	03/2017-2018/ Chhattisgarh Environment Conservation Board, Naya Raipur (CECB)/2017
Last Date and time for submission of bids	Monday, 08/01/2018 by 01:00PM
Physical submission of EMD/DD	Monday, 08/01/2018 by 01:00PM
Date of Technical Bid Opening	Monday, 08/01/2018 at 03:00PM

Note: Bidder has to submit the signed copy of this corrigendum with the Technical Bid in envelope A.

Pre Bid Query Response

S. No	Section	Page No	RFP Clause	Query	Remarks	Response
1.	Sec.3.1/ Pre-Qualification	12	The bidder should have provided similar services to a government organization or large corporate, nationally or internationally and operated a similar treatment and disposal facility for at least 5 consecutive years.	Experience you required from the Bidder is only in the Bio-Medical waste field or the experience of other Hazardous waste management will be considered along with bio-medical waste management.		Only experienced in Bio-Medical Waste will be considered.
	Sec.3.1/ Pre-Qualification	12	The Bidder (or JV Partner) should have a minimum turnover of Rs. 1.50 crores (equivalent) from Bio-Medical Waste based project during the last three financial years i.e., 2014-15, 2015-16 and 2016-17.			The requirement now reads as follows: The Bidder (or JV Partner) should have a minimum average annual turnover of Rs. 1.50 crores (equivalent) from Environmental Services in the previous three years.(recommended by evaluation committee)

2	Sec. 3.2/ TECHNICAL EVALUATION CRITERIA	14	No. of Projects with treatment capacity more than 250 Kg/day	Experience in RFQ queries more than 250 kg/day BMW plant please clarify the aspect capacity of your plant.		This is the proposed capacity of the plant which need to be set up by the bidder.
3	Sec. 3.2/ TECHNICAL EVALUATION CRITERIA	14		According to RFQ you require presentation of methodology. We want to know that its only presentation or allotment of complete work of erection or fabrication.		Please refer to Sec. 3.2 (3). Erection and fabrication also add value.
4				Who will bear the plant and machinery cost?		As per RFP the successful bidder will bear the plant and machinery cost.
5				Is there any central or state Govt. grant will be provided to the contractor?		As per RFP No fund is allocated from state or central Govt.